

DATA	ORA	Tempo [s]	CORRENTE SCARICA [A]	TENSIONE CELLA [V]	Progressivo Energia [Wh]
06/01/2020	07:53:56	0	0	12,85	
06/01/2020	07:54:26	30	5,78	12,17	
06/01/2020	07:54:56	60	5,75	12,08	0,582505208
06/01/2020	07:55:26	90	5,75	12,05	1,160619792
06/01/2020	07:55:56	120	5,75	12,05	1,738015625
06/01/2020	07:56:26	150	5,75	12,05	2,315411458
06/01/2020	07:56:56	180	5,75	12,05	2,892807292
06/01/2020	07:57:26	210	5,75	12,05	3,470203125
06/01/2020	07:57:56	240	5,75	12,05	4,047598958
06/01/2020	07:58:26	270	5,76	12,02	4,6247775
06/01/2020	07:58:56	300	5,76	12,02	5,2017375
06/01/2020	07:59:26	330	5,76	12,05	5,7794175
06/01/2020	07:59:56	360	5,76	12,02	6,3570975
06/01/2020	08:00:26	390	5,75	12,02	6,933556667
06/01/2020	08:00:56	420	5,76	12,02	7,510015833
06/01/2020	08:01:26	450	5,76	12,02	8,086975833
06/01/2020	08:01:56	480	5,76	12,02	8,663935833
06/01/2020	08:02:26	510	5,76	12,02	9,240895833
06/01/2020	08:02:56	540	5,75	11,99	9,816635625
06/01/2020	08:03:26	570	5,75	11,99	10,39115646
06/01/2020	08:03:56	600	5,75	11,99	10,96567729
06/01/2020	08:04:26	630	5,73	11,99	11,53919896
06/01/2020	08:04:56	660	5,71	11,99	12,11072229
06/01/2020	08:05:26	690	5,71	11,99	12,68124646
06/01/2020	08:05:56	720	5,71	11,99	13,25177063
06/01/2020	08:06:26	750	5,71	11,99	13,82229479
06/01/2020	08:06:56	780	5,71	11,99	14,39281896
06/01/2020	08:07:26	810	5,7	11,99	14,96284354
06/01/2020	08:07:56	840	5,7	11,99	15,53236854
06/01/2020	08:08:26	870	5,71	11,96	16,10168
06/01/2020	08:08:56	900	5,68	11,96	16,66928167
06/01/2020	08:09:26	930	5,71	11,96	17,23688333
06/01/2020	08:09:56	960	5,7	11,96	17,80548167
06/01/2020	08:10:26	990	5,71	11,96	18,37408
06/01/2020	08:10:56	1020	5,71	11,96	18,94317667
06/01/2020	08:11:26	1050	5,7	11,96	19,511775
06/01/2020	08:11:56	1080	5,7	11,96	20,079875
06/01/2020	08:12:26	1110	5,7	11,96	20,647975
06/01/2020	08:12:56	1140	5,71	11,96	21,21657333
06/01/2020	08:13:26	1170	5,68	11,93	21,78346313
06/01/2020	08:13:56	1200	5,71	11,93	22,34964104
06/01/2020	08:14:26	1230	5,7	11,93	22,91681313
06/01/2020	08:14:56	1260	5,7	11,93	23,48348813
06/01/2020	08:15:26	1290	5,7	11,93	24,05016313
06/01/2020	08:15:56	1320	5,7	11,93	24,61683813
06/01/2020	08:16:26	1350	5,71	11,93	25,18401021
06/01/2020	08:16:56	1380	5,71	11,9	25,75096563
06/01/2020	08:17:26	1410	5,68	11,9	26,31571979
06/01/2020	08:17:56	1440	5,68	11,9	26,87898646
06/01/2020	08:18:26	1470	5,7	11,9	27,44324479
06/01/2020	08:18:56	1500	5,7	11,9	28,00849479
06/01/2020	08:19:26	1530	5,71	11,9	28,57424063
06/01/2020	08:19:56	1560	5,67	11,9	29,13849896
06/01/2020	08:20:26	1590	5,67	11,9	29,70077396
06/01/2020	08:20:56	1620	5,7	11,9	30,26453646

DATA	ORA	Tempo [s]	CORRENTE SCARICA [A]	TENSIONE CELLA [V]	Progressivo Energia [Wh]
06/01/2020	08:21:26	1650	5,68	11,87	30,82808354
06/01/2020	08:21:56	1680	5,68	11,87	31,38993021
06/01/2020	08:22:26	1710	5,67	11,87	31,95128229
06/01/2020	08:22:56	1740	5,68	11,87	32,51263438
06/01/2020	08:23:26	1770	5,67	11,87	33,07398646
06/01/2020	08:23:56	1800	5,67	11,84	33,63413521
06/01/2020	08:24:26	1830	5,67	11,84	34,19357521
06/01/2020	08:24:56	1860	5,67	11,84	34,75301521
06/01/2020	08:25:26	1890	5,66	11,84	35,31196188
06/01/2020	08:25:56	1920	5,66	11,84	35,87041521
06/01/2020	08:26:26	1950	5,66	11,84	36,42886854
06/01/2020	08:26:56	1980	5,65	11,8	36,98588604
06/01/2020	08:27:26	2010	5,66	11,8	37,54196104
06/01/2020	08:27:56	2040	5,65	11,8	38,09803604
06/01/2020	08:28:26	2070	5,65	11,8	38,65361938
06/01/2020	08:28:56	2100	5,65	11,8	39,20920271
06/01/2020	08:29:26	2130	5,65	11,8	39,76478604
06/01/2020	08:29:56	2160	5,65	11,77	40,31966313
06/01/2020	08:30:26	2190	5,65	11,8	40,87454021
06/01/2020	08:30:56	2220	5,65	11,8	41,43012354
06/01/2020	08:31:26	2250	5,65	11,77	41,98500063
06/01/2020	08:31:56	2280	5,65	11,77	42,53917146
06/01/2020	08:32:26	2310	5,65	11,77	43,09334229
06/01/2020	08:32:56	2340	5,62	11,77	43,64604188
06/01/2020	08:33:26	2370	5,65	11,77	44,19874146
06/01/2020	08:33:56	2400	5,65	11,77	44,75291229
06/01/2020	08:34:26	2430	5,66	11,77	45,30757354
06/01/2020	08:34:56	2460	5,65	11,74	45,86152792
06/01/2020	08:35:26	2490	5,62	11,74	46,41281875
06/01/2020	08:35:56	2520	5,62	11,74	46,96264208
06/01/2020	08:36:26	2550	5,62	11,74	47,51246542
06/01/2020	08:36:56	2580	5,66	11,74	48,06424542
06/01/2020	08:37:26	2610	5,66	11,71	48,61727458
06/01/2020	08:37:56	2640	5,65	11,74	49,16981521
06/01/2020	08:38:26	2670	5,65	11,74	49,72257354
06/01/2020	08:38:56	2700	5,62	11,71	50,27316
06/01/2020	08:39:26	2730	5,61	11,71	50,82109042
06/01/2020	08:39:56	2760	5,62	11,71	51,36902083
06/01/2020	08:40:26	2790	5,61	11,71	51,91695125
06/01/2020	08:40:56	2820	5,62	11,71	52,46488167
06/01/2020	08:41:26	2850	5,61	11,68	53,01211021
06/01/2020	08:41:56	2880	5,61	11,68	53,55815021
06/01/2020	08:42:26	2910	5,62	11,68	54,10467688
06/01/2020	08:42:56	2940	5,61	11,68	54,65120354
06/01/2020	08:43:26	2970	5,62	11,68	55,19773021
06/01/2020	08:43:56	3000	5,61	11,68	55,74425688
06/01/2020	08:44:26	3030	5,61	11,68	56,29029688
06/01/2020	08:44:56	3060	5,61	11,68	56,83633688
06/01/2020	08:45:26	3090	5,61	11,68	57,38237688
06/01/2020	08:45:56	3120	5,62	11,65	57,92820167
06/01/2020	08:46:26	3150	5,61	11,65	58,47332458
06/01/2020	08:46:56	3180	5,61	11,65	59,01796208
06/01/2020	08:47:26	3210	5,61	11,62	59,56189833
06/01/2020	08:47:56	3240	5,61	11,62	60,10513333
06/01/2020	08:48:26	3270	5,61	11,62	60,64836833

DATA	ORA	Tempo [s]	CORRENTE SCARICA [A]	TENSIONE CELLA [V]	Progressivo Energia [Wh]
06/01/2020	08:48:56	3300	5,6	11,62	61,19111917
06/01/2020	08:49:26	3330	5,61	11,62	61,73387
06/01/2020	08:49:56	3360	5,61	11,62	62,277105
06/01/2020	08:50:26	3390	5,61	11,59	62,81963875
06/01/2020	08:50:56	3420	5,61	11,59	63,36147125
06/01/2020	08:51:26	3450	5,6	11,59	63,90282083
06/01/2020	08:51:56	3480	5,6	11,59	64,4436875
06/01/2020	08:52:26	3510	5,6	11,59	64,98455417
06/01/2020	08:52:56	3540	5,59	11,56	65,52423854
06/01/2020	08:53:26	3570	5,57	11,56	66,06177854
06/01/2020	08:53:56	3600	5,56	11,56	66,59787354
06/01/2020	08:54:26	3630	5,6	11,56	67,13541354
06/01/2020	08:54:56	3660	5,6	11,56	67,67488021
06/01/2020	08:55:26	3690	5,61	11,53	68,21412792
06/01/2020	08:55:56	3720	5,6	11,56	68,75337563
06/01/2020	08:56:26	3750	5,59	11,53	69,29166125
06/01/2020	08:56:56	3780	5,59	11,53	69,82876708
06/01/2020	08:57:26	3810	5,57	11,53	70,36491208
06/01/2020	08:57:56	3840	5,59	11,53	70,90105708
06/01/2020	08:58:26	3870	5,59	11,5	71,43746417
06/01/2020	08:58:56	3900	5,59	11,5	71,9731725
06/01/2020	08:59:26	3930	5,57	11,5	72,5079225
06/01/2020	08:59:56	3960	5,57	11,5	73,04171417
06/01/2020	09:00:26	3990	5,56	11,47	73,57433104
06/01/2020	09:00:56	4020	5,56	11,47	74,10577438
06/01/2020	09:01:26	4050	5,55	11,47	74,63673979
06/01/2020	09:01:56	4080	5,56	11,47	75,16770521
06/01/2020	09:02:26	4110	5,55	11,47	75,69867063
06/01/2020	09:02:56	4140	5,56	11,44	76,22894167
06/01/2020	09:03:26	4170	5,55	11,44	76,75851833
06/01/2020	09:03:56	4200	5,55	11,44	77,28761833
06/01/2020	09:04:26	4230	5,55	11,41	77,81602458
06/01/2020	09:04:56	4260	5,53	11,41	78,34278625
06/01/2020	09:05:26	4290	5,53	11,38	78,86790583
06/01/2020	09:05:56	4320	5,53	11,38	79,39233417
06/01/2020	09:06:26	4350	5,53	11,38	79,9167625
06/01/2020	09:06:56	4380	5,54	11,38	80,441665
06/01/2020	09:07:26	4410	5,53	11,38	80,9665675
06/01/2020	09:07:56	4440	5,54	11,38	81,49147
06/01/2020	09:08:26	4470	5,53	11,34	82,01545
06/01/2020	09:08:56	4500	5,53	11,34	82,538035
06/01/2020	09:09:26	4530	5,51	11,31	83,058985
06/01/2020	09:09:56	4560	5,51	11,31	83,5783025
06/01/2020	09:10:26	4590	5,51	11,31	84,09762
06/01/2020	09:10:56	4620	5,51	11,31	84,6169375
06/01/2020	09:11:26	4650	5,51	11,28	85,13556625
06/01/2020	09:11:56	4680	5,5	11,28	85,65303625
06/01/2020	09:12:26	4710	5,5	11,28	86,17003625
06/01/2020	09:12:56	4740	5,5	11,25	86,68634875
06/01/2020	09:13:26	4770	5,5	11,25	87,20197375
06/01/2020	09:13:56	4800	5,49	11,22	87,71644313
06/01/2020	09:14:26	4830	5,49	11,22	88,22975813
06/01/2020	09:14:56	4860	5,49	11,19	88,74238688
06/01/2020	09:15:26	4890	5,48	11,19	89,25386313
06/01/2020	09:15:56	4920	5,48	11,16	89,76418813

DATA	ORA	Tempo [s]	CORRENTE SCARICA [A]	TENSIONE CELLA [V]	Progressivo Energia [Wh]
06/01/2020	09:16:26	4950	5,48	11,16	90,27382813
06/01/2020	09:16:56	4980	5,46	11,13	90,78185438
06/01/2020	09:17:26	5010	5,46	11,13	91,28826938
06/01/2020	09:17:56	5040	5,46	11,1	91,79400188
06/01/2020	09:18:26	5070	5,45	11,1	92,29858938
06/01/2020	09:18:56	5100	5,46	11,07	92,802495
06/01/2020	09:19:26	5130	5,44	11,04	93,30457625
06/01/2020	09:19:56	5160	5,44	10,98	93,80369625
06/01/2020	09:20:26	5190	5,43	10,95	94,30031938
06/01/2020	09:20:56	5220	5,42	10,88	94,79376833
06/01/2020	09:21:26	5250	5,39	10,82	95,28247042
06/01/2020	09:21:56	5280	5,38	10,76	95,76667167
00/01/1900	00:00:00	5310	0	0	95,88727333
00/01/1900	00:00:00	5340	0	0	95,88727333
00/01/1900	00:00:00	5370	0	0	95,88727333
00/01/1900	00:00:00	5400	0	0	95,88727333
00/01/1900	00:00:00	5430	0	0	95,88727333
00/01/1900	00:00:00	5460	0	0	95,88727333
00/01/1900	00:00:00	5490	0	0	95,88727333
00/01/1900	00:00:00	5520	0	0	95,88727333
00/01/1900	00:00:00	5550	0	0	95,88727333
00/01/1900	00:00:00	5580	0	0	95,88727333
00/01/1900	00:00:00	5610	0	0	95,88727333
00/01/1900	00:00:00	5640	0	0	95,88727333
00/01/1900	00:00:00	5670	0	0	95,88727333
00/01/1900	00:00:00	5700	0	0	95,88727333
00/01/1900	00:00:00	5730	0	0	95,88727333
00/01/1900	00:00:00	5760	0	0	95,88727333
00/01/1900	00:00:00	5790	0	0	95,88727333
00/01/1900	00:00:00	5820	0	0	95,88727333
00/01/1900	00:00:00	5850	0	0	95,88727333
00/01/1900	00:00:00	5880	0	0	95,88727333
00/01/1900	00:00:00	5910	0	0	95,88727333
00/01/1900	00:00:00	5940	0	0	95,88727333
00/01/1900	00:00:00	5970	0	0	95,88727333
00/01/1900	00:00:00	6000	0	0	95,88727333
00/01/1900	00:00:00	6030	0	0	95,88727333
00/01/1900	00:00:00	6060	0	0	95,88727333
00/01/1900	00:00:00	6090	0	0	95,88727333
00/01/1900	00:00:00	6120	0	0	95,88727333
00/01/1900	00:00:00	6150	0	0	95,88727333
00/01/1900	00:00:00	6180	0	0	95,88727333
00/01/1900	00:00:00	6210	0	0	95,88727333
00/01/1900	00:00:00	6240	0	0	95,88727333
00/01/1900	00:00:00	6270	0	0	95,88727333
00/01/1900	00:00:00	6300	0	0	95,88727333
00/01/1900	00:00:00	6330	0	0	95,88727333
00/01/1900	00:00:00	6360	0	0	95,88727333
00/01/1900	00:00:00	6390	0	0	95,88727333
00/01/1900	00:00:00	6420	0	0	95,88727333
00/01/1900	00:00:00	6450	0	0	95,88727333
00/01/1900	00:00:00	6480	0	0	95,88727333
00/01/1900	00:00:00	6510	0	0	95,88727333
00/01/1900	00:00:00	6540	0	0	95,88727333
00/01/1900	00:00:00	6570	0	0	95,88727333